






25-59/60-01/02 Double/King

Parts:

E	F	D	I	J	P	K	L	Z2	X
									
φ8MM	H=2.5CM	φ8*50MM	φ8MM						
36PCS	2PCS	18PCS	1PC	2PCS	2PCS	2PCS	1PC	2PCS	1PC


M	N	O	Q	S	U	R	V	Y	Z
									
26PCS	13PCS	1PC	26PCS	2PCS	2PCS	2PCS	1PC	1PC	18PCS

Assembly Instructions

REMARK : Double has 24pcs slats (M)
King has 26pcs slats (M)!

Step 1:



Install legs



Assembly Instructions

Step 2:


Install gas lift gun



Assembly Instructions


Step 3:

Instal bedrails & footboard





Step 4:

Instal 2pcs metal plate(K)



Assembly Instructions

Step 5: Install metal pole (V)



Step 6:


Install plastic cover (Q)

Assembly Instructions

REMARK : Double has **24pcs** plastic cover (Q)
King has **26pcs** plastic cover (Q)!!!

Step 7:

Install metal pole (U) / (S)




Assembly Instructions

Step 8:

Connect metal pole (U) and
metal pole (S) together;



Install handle (L),center pole
(O) ,and support leg (J)



Assembly Instructions

Step 9:

Connect gas lift gun
and metal frame




Step 10:

Fasten gas gun(R)

Assembly Instructions

Step 11: Install slats

REMARK : Double has 24pcs slats (M)
King has 26pcs slats (M)!!!



Step 12:

Attach Black Fabric to bottom of the bed by Velcro close.

Bed installation finish

Assembly Instructions